







DKM5		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	85A	76A
单芯线(AWG/mm²)	16~4 / 0.5~16	
多芯线(AWG/mm²)	16~4 / 0.5~16	
冲击耐压	8KV	
扭力(N·m)	2~4	
螺丝	M5	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	13x54x67	
包装量	50	




DKM6		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	115A	125A
单芯线(AWG/mm²)	14~2 / 2.5~35	
多芯线(AWG/mm²)	14~2 / 2.5~35	
冲击耐压	8KV	
扭力(N·m)	3~6	
螺丝	M6	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	19.5x54x67	
包装量	50	




DKM8		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	150A	150A
单芯线(AWG/mm²)	14~1/0 / 2.5~50	
多芯线(AWG/mm²)	14~1/0 / 2.5~50	
冲击耐压	8KV	
扭力(N·m)	6~12	
螺丝	M8	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	24.5x63x67	
包装量	20	



DKM10		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	255A	269A
单芯线(AWG/mm²)	10~250 / 6~120	
多芯线(AWG/mm²)	10~250 / 6~120	
冲击耐压	8KV	
扭力(N·m)	10~20	
螺丝	M10	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	35.5x70x67	
包装量	20	



DKM12		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	255A	269A
单芯线(AWG/mm²)	10~250 / 6~120	
多芯线(AWG/mm²)	10~250 / 6~120	
冲击耐压	8KV	
扭力(N·m)	14~30	
螺丝	M12	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	35.5x70x67	
包装量	20	



DKM6-2		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	115A	125A
单芯线(AWG/mm²)	14~2 / 2.5~35	
多芯线(AWG/mm²)	14~2 / 2.5~35	
冲击耐压	8KV	
扭力(N·m)	3~6	
螺丝	M6	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	19.5x54x67	
包装量	20	

DKM8-2		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	150A	150A
单芯线(AWG/mm²)	14~1/0 / 2.5~50	
多芯线(AWG/mm²)	14~1/0 / 2.5~50	
冲击耐压	8KV	
扭力(N·m)	6~12	
螺丝	M8	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	24.5x63x68	
包装量	20	

DKM10-2		
安规认证 		
规格	UL	IEC
额定电压	1000V	1000V
额定电流	255A	269A
单芯线(AWG/mm²)	10~250 / 6~120	
多芯线(AWG/mm²)	10~250 / 6~120	
冲击耐压	8KV	
扭力(N·m)	10~20	
螺丝	M10	
剥线长度		
绝缘材料	PA	
TxHxW(mm)	35.5x70x88	
包装量	10	

